

MiniHawk

Hybrid Anamorphic Lenses - Technical Data

Due to their unique construction, the MiniHawks solve problems associated with anamorphic lenses while preserving classic anamorphic characteristics. They offer super-close focus – almost like macro lenses – with no breathing while focusing. MiniHawks are geometrically well-corrected, yet maintain the distinctive optical traits of traditional 2x squeeze photography such as elliptical bokeh and shallow depth of field, resulting in an organic cinematic feel. Well-suited for CG.





Patents granted Europe/US/Asia



JULY 2023

Lens	Focal Length Stop	metric		imperial		Angle of View* horizontal	Weight		Front Diameter	Overall Length	Min. Filter Size	Image Circle	Illumination Circle
		CFD	MOD	CFD	MOD		kg	lbs					
MiniHawk 29	29mm/T1.7	0.25m	0.06m	10"	2 ½"	80°	2.3	5.0	128mm	158mm	4x5.65"	31.5mm	32mm
MiniHawk 35	35mm/T1.7	0.25m	0.06m	10"	2 ½"	71.5°	2.1	4.6	110mm	153mm	4x5.65"	30.9mm	31.1mm
MiniHawk 40	40mm/T1.7	0.25m	0.07m	10"	3"	62.2°	1.9	4.2	110mm	143mm	4x5.65"	32mm	32.5mm
MiniHawk 50	50mm/T1.7	0.25m	0.10m	10"	4"	53.6°	1.8	4.0	110mm	135mm	4x5.65"	33.7mm	34mm
MiniHawk 65	65mm/T1.7	0.25m	0.08m	10"	3 ⅓"	43.5°	1.9	4.2	110mm	135mm	4x5.65"	34.4mm	35.1mm
MiniHawk 80	80mm/T1.7	0.35m	0.22m	1'2"	8 ½"	34.9°	1.6	3.5	110mm	135mm	4x5.65"	34mm	34.4mm
MiniHawk 100	100mm/T1.7	0.35m	0.18m	1'2"	7"	28°	1.5	3.3	110mm	135mm	4x5.65"	35.5mm	36.2mm
MiniHawk 135	135mm/T1.7	0.35m	0.25m	1'2"	9 ½"	21.5°	1.7	3.7	110mm	135mm	4x5.65"	37mm	38.5mm
MiniHawk 180	180mm/T1.7	0.5m	0.45m	1'8"	1 ½'	17.2°	2.1	4.6	128mm	135mm	4x5.65"	35mm	45mm

*Angle of view – quoted for S35 Format



Technical specifications are subject to change without notice – additional lenses will follow. Made in Germany by Vantage Film Hawk®, Hawk Anamorphic®, Vantage® are registered trade-marks of Vantage Film GmbH, Germany. For further information contact Vantage Film, Phone +49 961 26795, www.vantagefilm.com

VANTAGE®